

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	<input type="button" value="Up"/> <input type="button" value="Down"/>
Display: <input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>	
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Sunday, September 19, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L16</u> 5933605.pn. or 6108706.pn. or 6009274.pn.	3	<u>L16</u>
<u>L15</u> (control\$6 or manag\$6)with remote (storage or disk or resource) same receiv\$6 near5 message	15	<u>L15</u>
<u>L14</u> L13 same (client or agent) receiv\$3 with (message or unicast\$3 or multicast\$4) with(specif\$6 or contain\$6) with (identifier or operation or action or task) with (storage device or storage or disk)	7	<u>L14</u>
<u>L13</u> receiv\$3 with (message or unicast\$3 or multicast\$4) with(specif\$6 or contain\$6 or identifier) with (operation or action or task) same remote with (storage device or storage or disk)	88	<u>L13</u>
<u>L12</u> receiv\$3 with (message or unicast\$3 or multicast\$4) same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same remote near5 (storage device or storage or disk)	6	<u>L12</u>
<u>L11</u> (client or agent) same receiv\$3 with (message or unicast\$3 or multicast\$4) same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same remote near5 (storage device or storage or disk)	14	<u>L11</u>
<u>L10</u> same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same remote near5(storage device or storage or disk)	1	<u>L10</u>

<u>L9</u>	(client or agent) same receiv\$3 with (message or unicast\$3 or multicast\$4) same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same (storage device or storage or disk)	92	<u>L9</u>
<u>L8</u>	(client or agent) same receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6 or identifier) with (operation or action or task) with(storage device or storage or disk)	4	<u>L8</u>
<i>DB=USOC; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	2	<u>L7</u>
<i>DB=EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	0	<u>L6</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	5	<u>L5</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L4</u>	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	18	<u>L4</u>
<u>L3</u>	receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	63	<u>L3</u>
<u>L2</u>	(client or agent) with receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or storage or disk)	12	<u>L2</u>
<u>L1</u>	receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or stoarge or disk)	96	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	<input type="button" value="Up"/> <input type="button" value="Down"/> <input type="button" value="OK"/>
Display: <input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>	
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Sunday, September 19, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side		
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L14</u> L13 same (client or agent)	7	<u>L14</u>
<u>L13</u> receiv\$3 with (message or unicast\$3 or multicast\$4) with(specif\$6 or contain\$6) with (identifier or operation or action or task) with (storage device or storage or disk)	88	<u>L13</u>
<u>L12</u> receiv\$3 with (message or unicast\$3 or multicast\$4) with(specif\$6 or contain\$6 or identifier) with (operation or action or task) same remote with (storage device or storage or disk)	6	<u>L12</u>
<u>L11</u> receiv\$3 with (message or unicast\$3 or multicast\$4) same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same remote near5 (storage device or storage or disk)	14	<u>L11</u>
<u>L10</u> (client or agent) same receiv\$3 with (message or unicast\$3 or multicast\$4) same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same remote near5(storage device or storage or disk)	1	<u>L10</u>
<u>L9</u> (client or agent) same receiv\$3 with (message or unicast\$3 or multicast\$4) same (specif\$6 or contain\$6 or identifier) same(operation or action or task) same (storage device or storage or disk)	92	<u>L9</u>

<u>L8</u>	(client or agent) same receive\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6 or identifier) with (operation or action or task) with (storage device or storage or disk)	4	<u>L8</u>
	<i>DB=USOC; PLUR=YES; OP=ADJ</i>		
<u>L7</u>	receive\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	2	<u>L7</u>
	<i>DB=EPAB,JPAB; PLUR=YES; OP=ADJ</i>		
<u>L6</u>	receive\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	0	<u>L6</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L5</u>	receive\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	5	<u>L5</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L4</u>	receive\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	18	<u>L4</u>
<u>L3</u>	receive\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	63	<u>L3</u>
<u>L2</u>	(client or agent) with receive\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or storage or disk)	12	<u>L2</u>
<u>L1</u>	receive\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or storage or disk)	96	<u>L1</u>

END OF SEARCH HISTORY

WEST Search History

DATE: Sunday, September 19, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L7	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	2
		<i>DB=EPAB,JPAB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L6	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	0
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	5
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	18
<input type="checkbox"/>	L3	receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	63
<input type="checkbox"/>	L2	(client or agent) with receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or storage or disk)	12
<input type="checkbox"/>	L1	receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or stoarge or disk)	96

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Sunday, September 19, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L4</u>	receiv\$3 with (message or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with(storage device or storage or disk)	18	<u>L4</u>
<u>L3</u>	receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with perform\$3 with (storage device or storage or disk)	63	<u>L3</u>
<u>L2</u>	(client or agent) with receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or storage or disk)	12	<u>L2</u>
<u>L1</u>	receiv\$3 with (message or command or unicast\$3 or multicast\$4) with (specif\$6 or contain\$6) with (operation or action or task) with (storage device or stoarge or disk)	96	<u>L1</u>

END OF SEARCH HISTORY